## Study of electrical conductivity of La<sub>2</sub>S<sub>3</sub>

© V.V. Kaminskii <sup>1</sup>, M.M. Kazanin<sup>1</sup>, M.A. Grevtsev<sup>1</sup>, N.V. Sharenkova<sup>1</sup>, S. Hirai<sup>2</sup>, S. Jin<sup>2</sup>, A.D. Polushina<sup>1</sup>

<sup>1</sup> loffe Institute
194021 St. Petersburg, Russia
<sup>2</sup> Muroran Institute of Technology,
050-8585 Muroran, Japan
E-mail: vladimir.kaminski@mail.ioffe.ru

Received July 9, 2019 Revised August 29, 2019 Accepted July 29, 2019

Samples of La<sub>2</sub>S<sub>3</sub> were synthesized by sulfurization method. A study of the temperature dependence of conductivity of La<sub>2</sub>S<sub>3</sub> was made in a range of 100–1000 K. At T < 140 K, the electrical conduction has a hopping character. When the temperature rises, the electric transport gradually passes to the band mechanism of conduction. The activation energies of La<sub>2</sub>S<sub>3</sub> conductivity at various temperatures are determined and a model of the band structure of La<sub>2</sub>S<sub>3</sub> is proposed.

**Keywords:** electrical conductivity, band structure, sulfurization, hopping conductivity, lanthanum sesquisulphide, activation energy.

Full text of the paper will appear in journal SEMICONDUCTORS.