

08,09,12

Structure Analysis, Photoluminescence, and Non-linear/Linear Optical Parameters of $\text{Li}_2\text{Ge}_4\text{O}_9:\text{Mn}^{4+}$ Transparent Glass-Ceramic

© I. Morad^{1,2}, X. Liu³, H. Elhosiny Ali^{4,5,*}, M.M. El-Desoky², J. Qiu¹

¹ State Key Laboratory of Modern Optical Instrumentation, College of Optical Science and Engineering, Zhejiang University, Hangzhou 310027, China

² Department of Physics, Faculty of Science, Suez University, Suez, Egypt

³ School of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China

⁴ Research Center for Advanced Materials Science (RCAMS), King Khalid University, Abha 61413, P.O. Box 9004, Saudi Arabia

⁵ Department of Physics, Faculty of Science, Zagazig University, Zagazig, Egypt

* E-mail: hithamph@gmail.com

Received: January 18, 2022

Revised: January 26, 2022

Accepted: January 27, 2022

In this study, $\text{Li}_2\text{Ge}_4\text{O}_9:\text{Mn}^{4+}$ transparent glass-ceramic was prepared by conventional melt-quenching. The thermal treatment was used for the devitrification of the sample. The creation of a $\text{Li}_2\text{Ge}_4\text{O}_9$ nanocrystalline precipitated through the glass matrix was verified by X-ray diffraction and HR-TEM. Electron paramagnetic resonance spectra were employed to confirm the oxidation of Mn^{2+} to Mn^{4+} in glass-ceramic after thermal treatment. The photoluminescence spectra displayed a narrow red band centered at 668 nm ascribed to the spin-forbidden ${}^4\text{E}_g \rightarrow {}^4\text{A}_{2g}$ transition of Mn^{4+} . To estimate the optical parameters, UV-Vis-IR absorption spectroscopies were measured. The red shift of the direct optical band gap E_g^{opt} , from 3.81 to 2.55 eV, was observed by increasing the Mn^{4+} concentration. The dispersion parameters, refraction indices (n , n_∞), and oscillator wavelength (λ_0) were examined by using Wemple–DiDomenico single-oscillator model. The relationship between the refractive index and the energy gap has been investigated using various models such as Moss, Hervé–Vandamme, Ravindra, and Singh–Kumar. In addition, the linear and non-linear optical properties of $\text{Li}_2\text{Ge}_4\text{O}_9:\text{Mn}^{4+}$ were mentioned. The temperature-dependent luminescence intensity measurement was also carried out. The method of preparation exposed herein for the synthesis of Mn^{4+} -doped GCs might be prevailing to produce identical luminescent ceramics in accordance with the glass's devitrification.

Keywords: glass-ceramics, photoluminescence, optical properties, non-linear/linear optical, dispersion parameters, energy gap